

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---------------------------------|------------------|---------|------------------|
| L1 | 6 | (virtual near2 server) with (security near4 domain) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 16:49 |
| L2 | 3 | 1 and (@ad<"20040412" @rlad<"20040412") | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 16:49 |
| L3 | 1 | "7269696".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L4 | 609 | ((block\$6 near2 base\$6) near2 request) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L5 | 370 | L4 and (@ad<"20040412" @rlad<"20040412") | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L6 | 16 | ((block\$6 near2 base\$6) near2 request near2 protocol) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L7 | 6 | L6 and (@ad<"20040412" @rlad<"20040412") | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L8 | 108 | ((((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L9 | 65 | L8 and (@ad<"20040412" @rlad<"20040412") | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L10 | 0 | ((((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) with ((convert\$6 convers\$6 transl\$6 transform\$6) with (file near2 system)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |

| | | | | | | |
|-----|-----|--|-------------------------------------|----|----|---------------------|
| L11 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (file near2 system)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L12 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (file\$8)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L13 | 6 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (request)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L14 | 4 | L13 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L15 | 1 | "7269696".pn. | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L16 | 609 | ((block\$6 near2 base\$6) near2 request) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L17 | 370 | L16 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L18 | 16 | ((block\$6 near2 base\$6) near2 request near2 protocol) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L19 | 6 | L18 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L20 | 108 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |

| | | | | | | |
|-----|-------|--|-------------------------------------|----|----|---------------------|
| L21 | 65 | L20 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L22 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) with ((convert\$6 convers\$6 translat\$6 transform\$6) with (file near2 system)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L23 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (file near2 system)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L24 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (file\$8)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L25 | 6 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (request)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L26 | 4 | L25 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L27 | 4 | ("7360034" "7107385" "20040030668" "6868417"). pn. | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L28 | 1 | "7243089".pn. | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L29 | 69381 | ((access security authoriz\$6) near2 (level domain)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |

| | | | | | | |
|-----|-----|--|---------------------------------|----|----|---------------------|
| L30 | 1 | "7269696".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L31 | 609 | ((block\$6 near2 base\$6) near2 request) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L32 | 370 | L31 and (@ad<"20040412" @rlad<"20040412") | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L33 | 16 | ((block\$6 near2 base\$6) near2 request near2 protocol) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L34 | 6 | L33 and (@ad<"20040412" @rlad<"20040412") | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L35 | 108 | ((((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L36 | 65 | L35 and (@ad<"20040412" @rlad<"20040412") | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L37 | 0 | ((((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) with ((convert\$6 convers\$6 translat\$6 transform\$6) with (file near2 system)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L38 | 0 | ((((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (file near2 system)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L39 | 0 | ((((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (file\$8)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |

| | | | | | | |
|-----|-----|--|-------------------------------------|----|----|---------------------|
| L40 | 6 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (request)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L41 | 4 | L40 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L42 | 1 | "7269696".pn. | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L43 | 609 | ((block\$6 near2 base\$6) near2 request) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L44 | 370 | L43 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L45 | 16 | ((block\$6 near2 base\$6) near2 request near2 protocol) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L46 | 6 | L45 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L47 | 108 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L48 | 65 | L47 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L49 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) with ((convert\$6 convers\$6 translat\$6 transform\$6) with (file near2 system)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |

| | | | | | | |
|-----|------|--|-------------------------------------|----|----|---------------------|
| L50 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (file near2 system)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L51 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (file\$8)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L52 | 6 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (request)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L53 | 4 | L52 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L54 | 4 | ("7360034" "7107385" "20040030668" "6868417"). pn. | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L55 | 1 | "7243089".pn. | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L56 | 158 | L29 and (L31 L32 L33 L35 L43 L44 L45 L47 L52 L54) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L57 | 103 | L56 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L58 | 7329 | ((access security) near2 (domain)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| L59 | 29 | L58 and (L31 L32 L33 L35 L43 L44 L45 L47 L52 L54) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |

| | | | | | | |
|-----|-----|--|-------------------------------------|----|----|---------------------|
| L60 | 21 | L59 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/11/06 18:05 |
| S1 | 1 | "7269696".pn. | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/08/27 01:09 |
| S2 | 466 | ((block\$6 near2 base\$6) near2 request) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/08/27 01:57 |
| S3 | 338 | S2 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/08/27 02:00 |
| S4 | 12 | ((block\$6 near2 base\$6) near2 request near2 protocol) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/08/27 02:02 |
| S5 | 6 | S4 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/08/27 02:02 |
| S6 | 90 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/08/27 14:38 |
| S7 | 56 | S6 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/08/27 14:39 |
| S8 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) with ((convert\$6 convers\$6 translat\$6 transform\$6) with (file near2 system)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/08/27 14:41 |
| S9 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (file near2 system)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/08/27 14:42 |

| | | | | | | |
|-----|-----|--|-------------------------------------|----|----|---------------------|
| S10 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (file\$8)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/08/27 14:42 |
| S11 | 4 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (request)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/08/27 14:43 |
| S12 | 3 | S11 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/08/27 14:44 |
| S13 | 1 | "7269696".pn. | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/09/15 05:19 |
| S14 | 468 | ((block\$6 near2 base\$6) near2 request) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/09/15 05:19 |
| S15 | 338 | S14 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/09/15 05:19 |
| S16 | 12 | ((block\$6 near2 base\$6) near2 request near2 protocol) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/09/15 05:19 |
| S17 | 6 | S16 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/09/15 05:19 |
| S18 | 90 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/09/15 05:19 |
| S19 | 56 | S18 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/09/15 05:19 |

| | | | | | | |
|-----|-------|--|-------------------------------------|----|----|---------------------|
| S20 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) with ((convert\$6 convers\$6 translat\$6 transform\$6) with (file near2 system)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/09/15 05:19 |
| S21 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (file near2 system)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/09/15 05:19 |
| S22 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (file\$8)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/09/15 05:19 |
| S23 | 4 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (request)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/09/15 05:19 |
| S24 | 3 | S23 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/09/15 05:19 |
| S25 | 4 | ("7360034" "7107385" "20040030668" "6868417"). pn. | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/09/15 05:21 |
| S26 | 1 | "7243089".pn. | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2008/09/15 06:55 |
| S27 | 66272 | ((access security authoriz\$6) near2 (level domain)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:13 |
| S28 | 1 | "7269696".pn. | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |

| | | | | | | |
|-----|-----|--|-------------------------------------|----|----|---------------------|
| S29 | 573 | ((block\$6 near2 base\$6) near2 request) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S30 | 361 | S29 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S31 | 15 | ((block\$6 near2 base\$6) near2 request near2 protocol) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S32 | 6 | S31 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S33 | 101 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S34 | 61 | S33 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S35 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) with ((convert\$6 convers\$6 translat\$6 transform\$6) with (file near2 system)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S36 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (file near2 system)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S37 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (file\$8)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |

| | | | | | | |
|-----|-----|--|-------------------------------------|----|----|---------------------|
| S38 | 4 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (request)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S39 | 3 | S38 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S40 | 1 | "7269696".pn. | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S41 | 573 | ((block\$6 near2 base\$6) near2 request) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S42 | 361 | S41 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S43 | 15 | ((block\$6 near2 base\$6) near2 request near2 protocol) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S44 | 6 | S43 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S45 | 101 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S46 | 61 | S45 and (@ad<"20040412" @rlad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S47 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) with ((convert\$6 convers\$6 translat\$6 transform\$6) with (file near2 system)) | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |

| | | | | | | |
|-----|------|--|---------------------------------|----|----|---------------------|
| S48 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (file near2 system)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S49 | 0 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (file\$8)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S50 | 4 | ((block\$6 near2 base\$6) (scsi)(small near2 computer near2 interface)) near2 request near2 protocol) same ((convert\$6 convers\$6 translat\$6 transform\$6) with (request)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S51 | 3 | S50 and (@ad<"20040412" @rlad<"20040412") | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S52 | 4 | ("7360034" "7107385" "20040030668" "6868417").pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S53 | 1 | "7243089".pn. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:15 |
| S54 | 146 | S27 and (S29 S30 S31 S33 S41 S42 S43 S45 S50 S52) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:18 |
| S55 | 99 | S54 and (@ad<"20040412" @rlad<"20040412") | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:18 |
| S56 | 6914 | ((access security) near2 (domain)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:34 |
| S57 | 26 | S56 and (S29 S30 S31 S33 S41 S42 S43 S45 S50 S52) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:34 |

| | | | | | | |
|-----|----|--|-------------------------------------|----|----|---------------------|
| S58 | 20 | S57 and (@ad<"20040412" @riad<"20040412") | US- PGPUB; USPAT; EPO; JPO | OR | ON | 2009/07/04 04:34 |
|-----|----|--|-------------------------------------|----|----|---------------------|

11/ 6/ 09 6:11:40 PM

C:\ Documents and Settings\ tduong7\ My Documents\ EAST\ Workspaces\ 10822431U -
System and method for supporting block-based protocols on a virtual storage appliance
executing within a physical storage appliance.wsp